



MATERIAL SAFETY DATA SHEET

PRODUCT TRADE NAME:

HOMAX PRODUCTS, INC.

ROLL-ON/SPRAY-ON TEXTURE (DRY MIX)

ITEM #8325

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME:
HOMAX PRODUCTS, INC.
468 WEST HORTON ROAD
BELLINGHAM, WA 98226

24 HOUR EMERGENCY PHONE NUMBER:

CHEMTREC 1-800-424-9300

INFORMATION PHONE NUMBER:

1-800-729-9029

DATE OF PREPARATION:

01/15/03

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

CAS NUMBER	DESCRIPTION	PEL	TLV	%
1317-65-3	CALCIUM CARBONATE	15mg/m3**	10mg/m3**	N/A
93763-70-3	PERLITE	15mg/m3**	10mg/m3**	N/A
13463-67-7	TITANIUM DIOXIDE	5mg/m3* 10mg/m3**	10mg/m3**	N/A
14807-96-6 (non-fibrous/non-asbestos form)	TALC	5mg/m3* 10mg/m3*		N/A
14808-60-7	SILICA QUARTZ***	2mg/m3* 10mg/m3*	2mg/m3* 0.1mg/m3*	N/A

* RESPIRABLE DUST

** TOTAL DUST

*** PRESENT AS A NATURAL OCCURRING CONTAMINANT, IRAC STATED THERE IS LITTLE EVIDENCE THAT CRYSTALLINE SILICA (QUARTZ) CAUSES CANCER IN HUMANS. NTP HAS OF 1991 LISTS RESPIRABLE CRYSTALLINE SILICA WHICH MAY REASONABLY BE ANTICIPATED TO BE A CARCINOGEN.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

APPEARANCE AND ODOR: WHITE POWDER, NO ODOR

BOILING POINT: N/A

EVAPORATION RATE: N/A

VAPOR PRESSURE: N/A

WATER SOLUBILITY (%): <3%

VAPOR DENSITY (AIR = 1): N/A

SPECIFIC GRAVITY (WATER = 1): 1 – 2.3

MELTING POINT: N/A

% VOLATILITY BY VOLUME: N/A

SECTION IV – FIRE AND EXPLOSION DATA

FLASH POINT (METHOD USED): N/A
 LEL: N/A
 EXTINGUISHING MEDIA: USE ANY APPROPRIATE MEDIUM FOR EXTINGUISHING SURROUNDING FIRE.
 SPECIAL FIRE FIGHTING PROCEDURES: FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS IF DUSTY CONDITIONS ARE PRESENT.
 UNUSUAL FIRE AND EXPLOSION HAZARDS: NO HAZARD

SECTION V – REACTIVITY DATA

STABILITY:
 MATERIAL IS STABLE. HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

INCOMPATIBILITY (MATERIALS TO AVOID):
 ACIDS

CONDITIONS TO AVOID:
 N/A

SECTION VI – HEALTH HAZARD DATA

ROUTES OF ENTRY: INHALATION – YES SKIN – YES INGESTION – YES

HEALTH HAZARDS (ACUTE AND CHRONIC):
 INHALATION OVER LONG PERIODS OF HIGH AMOUNTS OF ANY NUISANCE DUST MAY OVERLOAD LUNG MECHANISIMS AND MAKE LUNGS MORE VULNERABLE TO RESPIRATORY DISEASE.

CARCINOGENICITY:
 (RESPIRABLE CRYSTALLINE SILICA)
 NTP – YES IARC MONOGRAPHS – YES OSHA REGULATED – YES

SIGNS AND SYMPTOMS OF EXPOSURE

INHALATION:
 BREATHING DUST MAY IRRITATE THE NOSE, THROAT, AND RESPIRATORY TRACT, CAUSE SNEEZING AND COUGHING

EYE CONTACT:
 DUSTS MAY IRRITATE THE EYES

SKIN CONTACT:
 PROLONGED OR REPEATED CONTACT WITH THE DUST MAY IRRITATE THE SKIN

INGESTION:
 NONE CURRENTLY KNOWN. CONTACT PHYSICIAN

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:
 PREEXISTING EYE, SKIN OR RESPIRATORY DISORDERS MAY BE AGGRAVATED

EMERGENCY AND FIRST AID PROCEDURES

IF INHALED:
 REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET IMMEDIATE MEDICAL ATTENTION

EYE CONTACT:
 IMMEDIATELY FLUSH EYES WITH LOTS OF RUNNING WATER FOR 15 MINUTES, LIFTING UPPER AND LOWER LIDS OCCASIONALLY. CALL PHYSICIAN

SKIN CONTACT:

IMMEDIATELY WASH SKIN WITH LOTS OF SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH BEFORE REUSE. GET MEDICAL ATTENTION IF IRRITATION PERSISTS AFTER WASHING.

INGESTION:

DO NOT INDUCE VOMITING. CALL PHYSICIAN

NOTES TO HPYSICIAN:

NONE

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN INCASE MATERIAL IS RELEASED OR SPILLED:

SCOOP MATERIAL INTO WASTE CONTAINER FOR DISPOSAL. COMPLY WITH ALL APPLICABLE GOVERNMENTAL REGULATIONS ON SPILL REPORTING AND HANDLING AND DISPOSAL OF WASTE.

WASTE DISPOSAL METHOD:

DISPOSE OF CONTAMINATED PRODUCT AND MATERIALS USED IN CLEANING UP SPILLS AND LEAKS IN A MANNER APPROVED FOR THIS MATERIAL. CONSULT APPROPRIATE FEDERAL, STATE AND LOCAL REGULATORY AGENCIES TO ASCERTAIN PROPER PROCEDURES.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

STORE IN COOL, DRY PLACE. KEEP BAGS AND CONTAINERS DRY AT ALL TIMES. WASH THOROUGHLY AFTER HANDLING. DO NOT GET IN EYES, ON SKIN OR CLOTHING.

OTHER PRECAUTIONS:

CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, WILL RETAIN PRODUCT RESIDUE. ALWAYS OBEY HAZARD WARNINGS AND HANDLE EMPTY CONTAINER AS IF THEY WERE FULL.

SECTION VIII – CONTROL MEASURES

RESPIRATORY PROTECTION:

NIOSH-APPROVED DUST RESPIRATOR OR MASK IN THE ABSENCE OF ADEQUATE ENVIRONMENTAL CONTROLS AT POINT OF USE. THERE IS LITTLE EVIDENCE THAT CRYSTALLINE SILICA CAUSES CANCER IN HUMANS.

VENTILATION:

USE LOCAL EXHAUST CAPABLE OF MINIMIZING DUST EMISSIONS AT POINT OF USE.

PROTECTIVE GLOVES:

NOT NORMALLY REQUIRED, USE IF DESIRED.

EYE PROTECTION:

NIOSH-APPROVED DUST GOGGLES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

LONG-SLEEVED SHIRT, TROUSERS, SAFETY SHOES AND GLOVES.

SECTION XI - DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HERE IN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY HOMAX CORPORATION TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCTS ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THESE PRODUCTS OR THE INFORMATION PROVIDED HEREWITH.