



MSDS

MATERIAL SAFETY DATA SHEET

PRODUCT TRADE NAME:

HOMAX PRODUCTS, INC.

**SATIN ACRYLIC FINISH & PROTECTANT
ITEM #93215-30**

(HAZARD RATING: 0=LEAST, 1=SLIGHT, 2=MODERATE, 3=HIGH,
4=EXTREME) (I=SAFETY GLASSES, GLOVES, & VAPOR RESPIRATOR)

HAZARDOUS MATERIAL INFORMATION SYSTEM

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PROTECTIVE EQUIPMENT	N

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME:

HOMAX PRODUCTS, INC.
468 W. HORTON ROAD
BELLINGHAM WA 98226

24 HOUR EMERGENCY PHONE NUMBER:

CHEMTREC 1-800-424-9300

INFORMATION PHONE NUMBER:

1-800-729-9029

DATE OF PREPARATION:

9/24/04

SECTION II A - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

CHEMICAL NAME	CAS NUMBER	%	PEL	SKIN	TLV	CARCINOGEN
Proprietary Mixture (Solution of Silicone Emulsion in Water)	None	100%	N/A	N/A	N/A	No

*Contains less than 2% Diethylene Glycol Methyl ether/cas #000111-77-3

**No other ingredients are regulated.

All ingredients used in this proprietary mixture are listed on the TSCA Inventory List and none is listed as carcinogenic by OSHA, IARC or NTP.

SECTION III- PHYSICAL/CHEMICAL CHARACTERISTICS

APPEARANCE AND ODOR:	Off-white Liquid with Mild Odor
BOILING POINT:	210F(99C)
WATER SOLUBILITY:	Miscible
VAPOR PRESSURE:	N/D
EVAPORATION RATE:	<1(H ₂ O=1)
CALCULATED V.O.C. .08 LB/GL (10GR/LT)	Zero% VOC by CARB

SECTION IV-FIRE AND EXPLOSION DATA

Flash Point: None
Explosive Hazard; Not an explosive.
Extinguishing Media: Water fog, foam, carbon dioxide, dry chemical
Special Fire Fighting Procedures: None known.
Unusual Fire and Explosion Hazards: None

SECTION V - REACTIVITY DATA

STABILITY: MATERIAL IS STABLE
INCOMPATIBILITY (MATERIALS TO AVOID): None known
HAZARDOUS DECOMPOSITION PRODUCTS: None known

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

SECTION VI – HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY AND EFFECTS OF OVEREXPOSURE

EYES; According to the Federal Hazardous Substance Act testing protocol 16CFR 1500.42, this product is expected to be an eye irritant in laboratory test. Therefore this material is considered an eye irritant.

SKIN ABSORPTION: According to the Federal Hazardous Substance Act testing protocol 16CFR 150.41, this product is not expected to be a primary skin irritant skin irritant. However, avoid contact with open wounds.

INHALATION; Not expected to be an inhalation hazard.

INGESTION; Not expected to be an ingestion hazard.

CHRONIC EFFECTS FROM LONG TERM /REPEATED EXPOSURE:

No long term effects expected.

EMERGENCY AND FIRST AID PROCEDURES:

INGESTION; Rinse mouth and then drink a large glass of water and seek immediate medical attention.

INHALATION: Remove person to fresh air. Seek medical attention if effects are persistent.

EYE: If applicable, remove contact lenses. Flush eyes with plenty of water for at least 15minutes. Contact a physician if irritation persists.

SKIN: Wash with plenty of soap and large quantities of water. Contact a physician if irritation persists.

OTHER: N/A

SECTION VIII – PERSONAL PROTECTION

RESPIRATORY PROTECTION:

This product is not expected to be an inhalation hazard. In areas of inadequate ventilation, organic vapor cartridges are appropriate if respiratory protection is preferred by the handler.

VENTILATION:

Mechanical (general) ventilation is usually adequate.

HAND PROTECTION

Chemically resistant gloves (neoprene) are recommended for prolonged use.

EYE PROTECTION:

Splash goggles are recommended where usage creates significant splashing.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

EYES - WASH FOUNTAIN AND SAFETY SHOWER.

REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE.

WORK/HYGIENIC PRACTICES:

WASH HANDS AFTER USING AND BEFORE EATING, DRINKING OR USING TOBACCO PRODUCTS.

THOROUGHLY CLEAN CONTAMINATED CLOTHING AND SHOES BEFORE REUSE.

SPILL OR LEAKAGE PROCEDURES:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Spilled material can be picked up with sorbant material. Use caution where surfaces may become slippery from spilled material.

WASTE DISPOSAL:

Sweep up and place in empty container and close. Dispose of according to local, state and federal regulations.

WASTE DISPOSAL CAUTION;

Hazardous substances cleaned with this product may create hazardous waste that must be properly characterized and disposed of in accordance with RCRA, states and local regulations.

SPECIAL PRECAUTIONS:

HANDLING PRECAUTIONS:

USE PROPER METHODS OF VENTILATION TO PREVENT VAPOR BUILD-UP. AVOID SPRAYING HOT SURFACES. DO NOT HEAT, PUNCTURE OR INCINERATE CONTAINERS. CONTENTS ARE UNDER PRESSURE AND MAY CONTAIN VAPORS, EVEN WHEN EMPTY. DO NOT REMOVE OR DEFACE LABEL.

SHIPPING AND STORAGE PRECAUTIONS:

KEEP OUT OF THE REACH OF CHILDREN

Store in a cool, dry area away from heat or open flame.

Do not store at temperatures above 120F or below 32F

SECTION IX - DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY HOMAX PRODUCTS, INC. TO BE ACCURATE. SINCE THE CONDITIONS AND METHODS OF USE OF OUR PRODUCTS ARE BEYOND OUR CONTROL, WE DISCLAIM ANY AND ALL LIABILITY ARISING OUT OF THE IMPROPER USE OF THESE PRODUCTS OR THE INFORMATION PROVIDED HEREWITH.

PROPER SHIPPING NAME: CONSUMER COMMODITY

HAZARD CLASS NUMBER: ORM-D